
Subject: Defining data group "leadingVehicle"
Posted by [Carsten Weber](#) on Fri, 03 Sep 2010 12:29:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear RailML-Users,

to define vehicles some informations need to be filled in only for leading vehicles.

So at the moment some data is grouped in monitoring as a child of engine data.

It would be useful to create a new element "leadingVehicle" at the same level like wagon, engine and classification.

So the information of driversCab, etcs, nationalSystem, trainRadio, otherEquipment and the acousticSignaller could be arranged there.

```
<!--
      -->
<!-- +-
      -->
<!-- +-
      -->
<!-- +-
      -->
<!-- +-
      -->
<!-- +-
      -->
<!-- +-
      -->
<!-- +-
      -->
<!-- +- acousticSignaller      -->
<!---->
<xs:complexType name="eLeadingVehicle">
<xs:complexContent>
  <xs:extension base="rail:tMonitoring">
    <xs:sequence>
      <xs:element name="driversCab" type="rail:tDriversCabType" minOccurs="0"
maxOccurs="unbounded">
        <xs:annotation>
          <xs:documentation>data about each drivers cab of the
vehicle</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="etcS" type="rail:eETCS" minOccurs="0">
        <xs:annotation>
          <xs:documentation>capabilities with respect to European Train Control
System</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="nationalSystem" type="rail:tNationalSystem"
minOccurs="0" maxOccurs="unbounded">
```

```

<xs:annotation>
  <xs:documentation>list of installed national train protection/control
systems</xs:documentation>
</xs:annotation>
</xs:element>
<xs:element name="trainRadio" type="rail:eTrainRadio" minOccurs="0"
maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>list of installed train radio systems for
communication</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="otherEquipment" type="rail:tOtherEquipment"
minOccurs="0" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>list of other (non-safety) installed train
equipment</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="acousticSignaller" type="rail:tAcousticSignaller"
minOccurs="0" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>data about each drivers cab of the
vehicle</xs:documentation>
  </xs:annotation>
</xs:element>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

The data of brakes should be moved to the wagon and the data of loadLimitMatrix would be helpful in wagon -> goods.

Informations about driven rack systems should also be positioned at the end of ePropulsion in rollingstock.xsd

```

<xs:element name="rackTraction" type="rail:tRackTractionType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>data about rack traction equipment of the
vehicle</xs:documentation>
  </xs:annotation>
</xs:element>

```

There the type has to be defined in rollingstockTypes.xsd as seen to be seen below:

```

<!-- **** -->
<!-- rackTraction -->

```

```

<!--***** -->
<xs:complexType name="tRackTractionType">
<xs:annotation>
  <xs:documentation>description of any installed rack traction equipment</xs:documentation>
</xs:annotation>
<xs:attributeGroup ref="rail:aRackTraction"/>
</xs:complexType>
<xs:attributeGroup name="aRackTraction">
<xs:attribute name="number" type="rail:tCounter" use="optional">
<xs:annotation>
  <xs:documentation>number of cog wheels on the vehicle</xs:documentation>
</xs:annotation>
</xs:attribute>
<xs:attribute name="rackSystem" type="rail:tRackSystemType" use="required">
<xs:annotation>
  <xs:documentation>kind of rack system used</xs:documentation>
</xs:annotation>
</xs:attribute>
<xs:attribute name="resilientCogWheel" type="xs:boolean" use="optional">
<xs:annotation>
  <xs:documentation>flag, wheter the cog wheel(s) is(are) resiliently suspended</xs:documentation>
</xs:annotation>
</xs:attribute>
</xs:attributeGroup>

```

Also a new type for coupling should be defined in rollingstock.xsd:

```

<xs:element name="coupling" type="rail:tCoupling" minOccurs="0"
maxOccurs="unbounded">
<xs:annotation>
  <xs:documentation>data about couplings of the vehicle</xs:documentation>
</xs:annotation>
</xs:element>

```

That means an addition of rollingstockTypes.xsd as follows:

```

<!--***** -->
<!-- Coupler -->
<!--***** -->
<xs:complexType name="tCoupling">
<xs:annotation>
  <xs:documentation>container for descriptive data of the vehicle coupling</xs:documentation>
</xs:annotation>
<xs:attributeGroup ref="rail:aCoupling"/>
</xs:complexType>

```

```

<xs:attributeGroup name="aCoupling">
  <xs:attribute name="couplingName" type="rail:tGenericName" use="required">
    <xs:annotation>
      <xs:documentation>name of coupling</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="couplingHeight" type="rail:tLengthMM" use="optional">
    <xs:annotation>
      <xs:documentation>coupling level above top of rail</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="pullingForce" type="rail:tForceNewton" use="optional">
    <xs:annotation>
      <xs:documentation>maximum force to be used for pulling vehicles with this
      type of coupling</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="pushingForce" type="rail:tForceNewton" use="optional">
    <xs:annotation>
      <xs:documentation>maximum force to be used for pushing vehicles with this
      type of coupling</xs:documentation>
    </xs:annotation>
  </xs:attribute>
</xs:attributeGroup>

```

The attributeGroup aVehicle should get additional entries for "lineClassification" and a state of the vehicle data (rollingstockTypes.xsd).

This state should give the data user a hint to the validity of the vehicle data.

```

<xs:attribute name="lineClassification"
  type="rail:tLineClassificationType">
  <xs:annotation>
    <xs:documentation>defined line classification for this
    vehicle</xs:documentation>
  </xs:annotation>
</xs:attribute>
<xs:attribute name="state" type="rail:tVehicleState">
  <xs:annotation>
    <xs:documentation>usability of the vehicle</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

```

<!--***** -->
<!-- VehicleState -->
<!--***** -->
<xs:simpleType name="tVehicleState">
  <xs:union>

```

```

<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:enumeration value="theoreticalModell"/>
    <xs:enumeration value="feasibilityStudy"/>
    <xs:enumeration value="manufactorOfferOrInOperation"/>
    <xs:enumeration value="rightOfContinuance"/>
  </xs:restriction>
</xs:simpleType>
</xs:union>
</xs:simpleType>

```

Every propulsion system should have a name (at the beginning) to handle it easier (rollingstockTypes.xsd).

```

<xs:attribute name="name" type="rail:tGenericName" use="optional">
  <xs:annotation>
    <xs:documentation>short name of this type of
propulsion</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

Also an information about the activation of the propulsion system should be defined there (rollingstockTypes.xsd):

```

<xs:attribute name="activationStandstill" type="xs:boolean">
  <xs:annotation>
    <xs:documentation>propulsion system can be activated only in
standstill</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

The attribute named gearRatio as child element of tGear (rollingstockTypes.xsd) should be used "optional".

In addition to the rotationMassFactor (aWagon in rollingstockTypes.xsd) an "additonalRotationMass" should be available as tWeightTons:

```

<xs:attribute name="additionalRotationMass" type="rail:tWeightTons">
  <xs:annotation>
    <xs:documentation>additional mass for increased running resistance by
rotating masses of non-motored axles</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

I miss the bearingType in the attributeGroup "aWagon". Maybe it could be added at the end of the attribute group as follows:

```

<xs:attribute name="bearingType" type="rail:tBearingType">
  <xs:annotation>

```

```
<xs:documentation>describes the type of the bearing used for calculating  
vehicle resistance</xs:documentation>  
</xs:annotation>  
</xs:attribute>  
And the enumeration tBearingType as follows:
```

```
<!--***** -->  
<!-- bearingType -->  
<!--***** -->  
<xs:simpleType name="tBearingType">  
<xs:union>  
<xs:simpleType>  
<xs:restriction base="xs:string">  
<xs:enumeration value="roller Bearing"/>  
<xs:enumeration value="plain Bearing"/>  
</xs:restriction>  
</xs:simpleType>  
<xs:simpleType>  
<xs:restriction base="rail:tOtherEnumerationValue"/>  
</xs:simpleType>  
</xs:union>  
</xs:simpleType>
```

In ePassenger it should be possible to define more than one Gangway.

The attribute position inside the attributeGroup aGangway should be used as optional.

It would also be helpful to define the geometric size of the gangway inside of this attribute group. Here is an idea:

```
<xs:attribute name="floorLevel" type="rail:tLengthMM" use="optional">  
<xs:annotation>  
<xs:documentation>height of gangways floor above top of  
rail</xs:documentation>  
</xs:annotation>  
</xs:attribute>  
<xs:attribute name="gangwayHeight" type="rail:tLengthMM" use="optional">  
<xs:annotation>  
<xs:documentation>height of gangway for passenger use</xs:documentation>  
</xs:annotation>  
</xs:attribute>  
<xs:attribute name="gangwayWidth" type="rail:tLengthMM" use="optional">  
<xs:annotation>  
<xs:documentation>width of gangway for passenger use</xs:documentation>  
</xs:annotation>  
</xs:attribute>
```

The enumeration tGangwayDesignType should get an extension by "sigI" and "sigII".

The type tTilting should be defined as follows:

```
<!--***** -->
<!-- Tilting -->
<!--***** -->
<xs:complexType name="tTilting">
<xs:annotation>
<xs:documentation>data for tilting mechanism of passenger
cars</xs:documentation>
</xs:annotation>
<xs:attributeGroup ref="rail:aTilting"/>
</xs:complexType>
<xs:attributeGroup name="aTilting">
<!-- Carsten -->
<xs:attribute name="actuation" type="rail:tTiltingActuationType"
use="required">
<xs:annotation>
<xs:documentation>way of actuating the carbody tilting
(active/passive)</xs:documentation>
</xs:annotation>
</xs:attribute>
<xs:attribute name="maxTiltingAngle" type="rail:tAngleDegQuadrant">
<xs:annotation>
<xs:documentation>maximum tilting angle in degrees</xs:documentation>
</xs:annotation>
</xs:attribute>
<!-- /Carsten -->
<xs:attribute name="tiltingSpeed" type="rail:tSpeedDegreesPerSecond">
<xs:annotation>
<xs:documentation>speed of changing the tilting angle in degrees per
second</xs:documentation>
</xs:annotation>
</xs:attribute>
</xs:attributeGroup>
```

I also added an attribute "loadArea" above the volume inside of the attributeGroup "aGoods".

I hope it is not too much for one post.

Thanks.

Carsten.