```
Subject: Re: new attribute on the vehicle element
Posted by Joerg von Lingen on Fri, 04 Oct 2013 07:46:26 GMT
View Forum Message <> Reply to Message

Sorry, must be (all digits 0-9 allowed)
```

```
<xs:pattern
On 04.10.2013 09:42, Joerg von Lingen wrote:
> Dear all.
>
> wrt UIC numbers I would propose to add an attribute <uicVehicleNumber> for the
> > > operator>-element of a vehicle:
>
> <xs:simpleType name="tUicVehicleNumber">
   <xs:restriction base="xs:string">
>
    <xs:pattern
>
> value=" [1-9][0-9]-[1-9][0-9]-[1-9][0-9][1-9][0-9]-[1-9][0-9][1-9]-[ 0-9] " />
    </xs:restriction>
>
   </xs:simpleType>
> This shall allow numbers with the following meaning:
> The complete vehicle number comprises 12 digits. The individual digits have the
> following meaning:
> Digits 1-2: Type of vehicle and indication of the interoperability capacity
> (on multiple units, type)
> Digits 3-4: Country Code (Owner before 2006)
> Digits 5-8: Vehicle type information
> Digits 9-11: Individual running number (serial number)
> Digit 12: Self-check digit
>
> Best Jörg.
>
> On 23.09.2013 13:07, Joerg von Lingen wrote:
>> Dear all,
>>
>> we had already discussed the issue of UIC numbers for vehicles. The major point of
discussion was whether the number
>> will stay with the vehicle during its entire lifetime or changes with the owner/operator. There
we couldn't reach
>> clarification.
>> This question was of importance as to where storing the UIC-number in the tree. I would
prefer to place it under
```

- >> Classification/Operator because we then have a clear information of the time period the number is assigned to that
- >> vehicle. At the moment the string element <operatorClass> can be used in that sense. However, I woul go for a more

```
>> stringent definition which shall be then cover all types of vehicles (wagons and loco).
>>
>> I will try to provide a proposal on this within the next weeks.
>> Best Jörg.
>>
>> Susanne Wunsch wrote the following on 18.09.2013 00:46:
>>> Hello Horst,
>>>
>>> I move the request to the rollingstock group. The 'vehicle' element is
>>> part of the rollingstock sub-schema. I'm sure, Jörg (RS coordinator)
>>> will provide some feedback. He already worked on parts of the UIC wagon
>>> classification.
>>>
>>> horst.naujoks@qnamic.com (Horst Naujoks) writes:
>>>
>>>> Dear all,
>>>>
>>>> I'm a developer at Qnamic AG
>>> (http://http://www.railml.org//index.php/entwickler.html?show =35) and
>>>> we using RailML in different contexts in our products.
>>>>
>>>> I'd like to submit the following extension to the railMI
>>>> infrastructure schema:
>>>>
>>>> The element <vehicle> should be completed by an new optional attribute
>>>> 'uicVehicleNumber'. The whole purpose of this number is documented
>>> here: http://en.wikipedia.org/wiki/UIC_wagon_numbers. The new
>>> attribute supposed as an explicit supplement to the existing
>>> id/code/name attribute facility. It should support a better data
>>> exchange in systems which share this number.
>>>>
>>>> Today, we already employ this attribute by the usage of a schema
>>> extension (as an 'any' attribute) and of course we'd like to replace
>>>> this construct by an explicitly specified attribute.
>>>>
>>>> Kind Regards,
>>>>
>>>> Horst Naujoks
>>>
>>> Crosspost & Followup-To: railML.rollingstock
>>> Kind regards...
>>> Susanne
>>>
>>
```

--

Best regards, Joerg v. Lingen

Rollingstock Coordinator