Subject: Re: Additional commercial attributes from TAP TSI for timetables Posted by Stefan Jugelt on Wed, 14 Oct 2015 16:36:28 GMT View Forum Message <> Reply to Message

Dear all,

Philip Wobst wrote:

- >
- > Dear all,
- >
- > @Stefan: Thank you for the example file for further discussion. I do
- > have some questions/feedback:
- >
- > 1. additional attribute for 2.3
- > I believe the agreement of our meeting was to create a new and TSI
- > specific attribute e.g. 'tapTsiCode' so that the original railML 2.2
- > data representation is not affected. See #2 for sample.
- >

Philip you are right, the agreement was to use a new TAP TSI specific attribute for railML and not to change the enumeration "category" in railML.

- > 2. Use of the number and not string code
- > Should we actually use a string as a code or should we use the actual
- > number value of the code? I would suggest to use the actual number code
- > value instead of a string because the code could be interpreted directly
- > if the default TAP TSI codes are used. Furthermore, it would allow for
- > at least a limited amount of verification i.e. number from 1 to 999 as
- > a valid code reference instead of any string. A set of default mapping
- > for the existing railML enumeration categories could be provided in the
- > Wiki.
- >

I would suggest to use numeric values for the tapTsiCode-attribute. A restruiction to up to 999 entries is more than enough. I f we agree to this approach I would provide the mapping TAP TSI <--> railML.

- > <formationTT>
- > <passengerUsage>
- > <!-- 100 seats in 1st class -->
- > <places category="class1" tapTsiCode="4" count="100"/>
- > <!-- 300 seats in 2nd class -->
- > <places category="class2" tapTsiCode="5" count="300"/>
- > <!-- Snack trolley available -->
- > <service name="trolley" tapTsiCode="25" count="1"/>
- > </passengerUsage>
- > /formationTT>

The proposal is OK. The numbers reflect the current usage of these entries in the TAP TSI.

- > 3. Documentation and versions
- > For me it is still not clear where the code list is 'published' and how
- > different versions can be managed between a railML provider and consumer.
- > Within the railML release there should be a codelist-schema xsd for the
- > file but the actual code list. It would then be up to the
- > provider/consumer to agree on an actual code list version either
- > online or provided within their interface process.

The website with the actual version of the TAP TSI:

http://www.era.europa.eu/Document-Register/Pages/TAP-TSI.asp x . The code lists will be available soon as XML-file on this website. We are waitung for the final approval.

Kind regards,

Stefan Jugelt

----== posted via PHP Headliner ==----

