Subject: Re: Track: description vs. trackDescr - also for lineDescr> Posted by christian.rahmig on Mon, 20 Nov 2017 15:55:29 GMT View Forum Message <> Reply to Message

Dear all,

the same question applies also for the element lineDescr>: Do you use lineDescr> and - if yes - can you provide an example for usage?

Based on your feedback, we will update the wiki page [3] and close Trac ticket [2]. If If IneDescr> is not used, we will declare it DEPRECATED with railML version 2.4.

[3] http://wiki.railml.org/index.php?title=IS:lineDescr

Best regards Christian

Am 05.04.2017 um 19:18 schrieb Christian Rahmig:

> Dear all,

>

- > the element <track> has an attribute @description and a repeatable child
- > element <trackDescr>, which both are based on datatype xs:string.

>

- > My questions to you: For which purpose do you use which description? Do
- > you use the <trackDescr> at all? Can you provide us an example of a
- > track with the different kind of descriptions?

>

- > Based on your feedback, we may update the wiki page [1] and close the
- > Trac ticket [2]. If <trackDescr> is not used, we may also declare it
- > DEPRECATED with railML version 2.4.

>

- > [1] http://wiki.railml.org/index.php?title=IS:trackDescr
- > [2] http://trac.railml.org/ticket/113

>

>

- > Best regards
- > Christian

Christian Rahmig - Infrastructure scheme coordinator railML.org (Registry of Associations: VR 5750)

Phone Coordinator: +49 173 2714509; railML.org: +49 351 47582911

Altplauen 19h; 01187 Dresden; Germany www.railml.org