

---

Subject: <crossSection>.ocpTrackID

Posted by on Wed, 23 May 2012 09:14:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear Christian,

the attribute <crossSection>.ocpTrackID is defined as "xs:unsignedByte". This is impracticable and probably unintended. We should either define it as something like tGenericRef (and probably rename it into "ocpTrackRef") or define it as a simple xs:string for common use.

Please close this issue providing a track ticket. Thank you!

Best regards,  
Dirk.

---

---

Subject: Re: <crossSection>.ocpTrackID

Posted by [Christian Rahmig](#) on Sat, 23 Jun 2012 05:52:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello Dirk and anyone interested,

> the attribute <crossSection>.ocpTrackID is defined as "xs:unsignedByte".  
> This is impracticable and probably unintended. We should either define  
> it as something like tGenericRef (and probably rename it into  
> "ocpTrackRef") or define it as a simple xs:string for common use.

Thank you for your comment. With the ticket [1] I renamed the attribute <crossSection>.ocpTrackID into ocpTrackRef and assigned it to type tGenericRef.

[1] <https://trac.assembla.com/railML/ticket/151>

Regards

--

Christian Rahmig  
railML.infrastructure coordinator

---

---

Subject: Re: <crossSection>.ocpTrackID

Posted by [Susanne Wunsch railML](#) on Mon, 12 Nov 2012 11:37:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Christian Rahmig <[coord@infrastructure.railml.org](mailto:coord@infrastructure.railml.org)> writes:

>> the attribute <crossSection>.ocpTrackID is defined as "xs:unsignedByte".

>> This is impracticable and probably unintended. We should either define  
>> it as something like tGenericRef (and probably rename it into  
>> "ocpTrackRef") or define it as a simple xs:string for common use.  
>  
> Thank you for your comment. With the ticket [1] I renamed the  
> attribute <crossSection>.ocpTrackID into ocpTrackRef and assigned it  
> to type tGenericRef.  
>  
> [1] <https://trac.assembla.com/railML/ticket/151>

I'm sorry but I don't understand the semantics of the attribute  
'ocpTrackRef' within the element 'crossSection'.

A 'crossSection' is already positioned at a certain track and may refer  
to its appropriate ocp with the attribute 'ocpRef'.

The old "ocpTrackID" typed as 'unsignedByte' looks a bit like an  
intended platform number. That may be now defined with the newly  
introduced 'platformEdge' element.

But where should the "ocpTrackRef" refer to? What have I missed?

Any comments appreciated.

Kind regards...  
Susanne

--  
Susanne Wunsch  
Schema Coordinator: railML.common

---

Subject: Re: <crossSection>.ocpTrackID  
Posted by on Mon, 12 Nov 2012 11:57:35 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Susanne,

> But where should the "ocpTrackRef" refer to?

I also did ask myself that question.

We could probably rename it "platformEdgeRef" which would be of some  
practical relevance. But in rare cases there could be two platform edges  
at one cross-section. (The relation from a cross-section to its platforms  
is also given by both relating to the same <ocp> and laying at the same  
track. So if this is not too much around the corner, we could also declare  
ocpTrackRef as obsolete.)

Dirk.

---

---

Subject: Re: <crossSection>.ocpTrackID

Posted by [Susanne Wunsch railML](#) on Mon, 12 Nov 2012 12:54:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dirk Bräuer <dirk.braeuer@irfp.de> writes:

>> But where should the "ocpTrackRef" refer to?  
>  
> I also did ask myself that question.  
>  
> We could probably rename it "platformEdgeRef" which would be of some  
> practical relevance. But in rare cases there could be two platform  
> edges at one cross-section. (The relation from a cross-section to its  
> platforms is also given by both relating to the same <ocp> and laying  
> at the same track. So if this is not too much around the corner, we  
> could also declare ocpTrackRef as obsolete.)

I reopened the Trac ticket in order to clarify this issue with railML  
2.2:

<http://trac.assembla.com/railML/ticket/151#comment:3>

I would assume that the current implementation already fulfills all  
needed requirements.

A 'crossSection' has a position on a certain track. The 'platformEdge's  
each have positions and lengths on the same track. That means one could  
find out the appropriate 'crossSection' for a certain 'platformEdge' by  
traversing along the 'track'.

But anyway, why to refer from 'crossSection' to a 'platformEdge'? The  
platformEdge already itself refers to an 'ocp' with the attribute  
'ocpRef'. The 'track' itself may be "part of an ocp" with the element  
propEquipment/trackRef.

If 'ocpTrackID' was used for a "platform number" I would declare it  
deprecated.

Any comments appreciated.

Kind regards...  
Susanne

--

Susanne Wunsch  
Schema Coordinator: railML.common

---

---

Subject: Re: <crossSection>.ocpTrackID  
Posted by on Mon, 12 Nov 2012 13:40:50 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

> But anyway, why to refer from 'crossSection' to a 'platformEdge'? The  
> platformEdge already itself refers to an 'ocp' with the attribute  
> 'ocpRef'.

Dear Susanne, you are stealing my commits:

> (The relation from a cross-section to its  
> platforms is also given by both relating to the same <ocp> and laying  
> at the same track. So if this is not too much around the corner, we  
> could also declare ocpTrackRef as obsolete.)

Dirk.

---

---

Subject: Re: <crossSection>.ocpTrackID  
Posted by [Susanne Wunsch railML](#) on Mon, 12 Nov 2012 14:17:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Dirk,

Dirk Bräuer <dirk.braeuer@irfp.de> writes:

>> But anyway, why to refer from 'crossSection' to a 'platformEdge'? The  
>> platformEdge already itself refers to an 'ocp' with the attribute  
>> 'ocpRef'.  
>  
> Dear Susanne, you are stealing my commits:  
>  
>> (The relation from a cross-section to its  
>> platforms is also given by both relating to the same <ocp> and laying  
>> at the same track. So if this is not too much around the corner, we  
>> could also declare ocpTrackRef as obsolete.)

Shame on me!

To much done at the same time.

;-)

Kind regards...  
Susanne

--

Susanne Wunsch  
Schema Coordinator: railML.common

---

---

Subject: Re: <crossSection>.ocpTrackID  
Posted by [Christian Rahmig](#) on Sat, 24 Nov 2012 13:02:16 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Dirk, Susanne and other railML users,

>>> But where should the "ocpTrackRef" refer to?  
>>  
>> I also did ask myself that question.  
>>  
>> We could probably rename it "platformEdgeRef" which would be of some  
>> practical relevance. But in rare cases there could be two platform  
>> edges at one cross-section. (The relation from a cross-section to its  
>> platforms is also given by both relating to the same <ocp> and laying  
>> at the same track. So if this is not too much around the corner, we  
>> could also declare ocpTrackRef as obsolete.)  
>  
> I reopened the Trac ticket in order to clarify this issue with railML  
> 2.2:  
>  
> <http://trac.assembla.com/railML/ticket/151#comment:3>  
>  
> I would assume that the current implementation already fulfills all  
> needed requirements.

after revision I reverted the renaming and marked the parameter  
"ocpTrackID" of type "xs:unsignedByte" as deprecated.

Regards

--

Christian Rahmig  
railML.infrastructure coordinator

---