

Dear All,

Would you mind answering the following questions for me?

1. Category

Regarding to the wiki, "category" means

terms are defined quite differently.'

(<http://wiki.railml.org/index.php?title=TT:category>).

But in "TT_S-Bahn_ZH.xml", the "category" instance has only following data;

```
<categories>
  <category id="d2e125" />
</categories>
```

2. Rosterings

2.1 blockPart - trainPartRef

According to the wiki,

"trainPartRef: This refers to the id attribute of the associated
<trainPart> element. "

(<http://wiki.railml.org/index.php?title=TT:blockPart>)

I'd like to know the relationship between Join/Split operation and the amount of "trainPart". If there is a Join/Split, could a blockPart have multiple "trainPart"?

If somebody has a example file that has both Join/Split operation, please send it to me.

2.2 block - blockGroupNumber

There's no precise description that explains "blockGroupNumber" on the wiki;

<http://wiki.railml.org/index.php?title=TT:block>

"TT_Rostering_edit.xml" as follows;

```
<block id="d2e1628" blockGroupNumber="1">  
</block>
```

```
<block id="d2e1672" blockGroupNumber="1">  
</block>
```

```
<block id="d2e1711" blockGroupNumber="1">  
</block>
```

and

- 1) What does blockGroupNumber mean?
- 2) Is "blockGroupNumber" mandatory attribute?

Best regards,
Utah (Yutaka Manchu)

--

----- posted via PHP Headliner -----
