

Dear Torben,

Am 20.12.2016 um 18:29 schrieb Torben Brand:

> [...]
> ocsElements
> Locks are simple physical lineside elements that can only
> have two states: locked or unlocked. Locks reference to
> which objects they lock. Their relationship will later be
> defined in the interlocking scheme. The element <ocsElements> is
> extended with the new element
> <locks> with sub element <lock> with attributes @objectRef
> and @type [datatype: enumeration] with 5 Norwegian presets,
> the value "ERTMS" and "other:".

The lock (de: "Schlüsselsperre") is a device that is relevant for interlocking purposes. At the same time, it is a physical element and thus should be part of the railway infrastructure model. Currently, modelling a lock with railML 2.3 would look like this:

```
<track ...>
...
  <ocsElements>
    <trainProtectionElements>
      <trainProtectionElement id="tpe01" pos="123.4" description="lock">
      </trainProtectionElement>
    </trainProtectionElements>
  </ocsElements>
</track>
```

Your approach to introduce a new element <lock> is more straightforward and it fits better considering that a lock is not a train protection element like an Indusi magnet. If there are use cases requiring the specific definition of locks, I appreciate having them included in the railML infrastructure model. Which objects are referenced by <lock>@objectRef? What are the 5 Norwegian presets for the attribute <lock>@type?

Best regards
Christian

--

Christian Rahmig - Infrastructure scheme coordinator
railML.org (Registry of Associations: VR 5750)
Phone Coordinator: +49 173 2714509; railML.org: +49 351 47582911

