
Subject: TrainpartRefs

Posted by [Andreas Tanner](#) on Fri, 02 Sep 2011 09:01:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hallo RailML-group,

is the <trainPart> element intended for "multiple use"? The example file TT_ICN.xml has

```
<train id="o2109" name="ICN 2109" type="operational" trainNumber="2109"
description="betrieblicher Zug 2109 mit 2 Kompositionen">
  <trainPartSequence sequence="1" pathStatus="confirmed">
    <trainPartRef position="1" ref="tp2109" />
    <trainPartRef position="2" ref="tp2109" />
  </trainPartSequence>
</train>
```

Now if this is legal, there is a problem with the rostering. A

<blockPart> can reference a <trainPart> - but which reference to it is meant if the <trainPart> is used more than once?

What one really would need is a "<trainPartRefRef" and the <trainPartRef> children of the <trainPartSequence> would need there own ID...

I think that we /should/ allow for multiple use of trainparts. If you have different views on the same train (eg, commercial and operational), you would build those views from the same trainPart elements.

Regards

--Andreas Tanner.

Subject: Re: TrainpartRefs

Posted by [Christoph.Jobmann](#) on Wed, 07 Sep 2011 12:48:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

Greetings,

from my point of view trainPart elements can no longer be used more than once within the same trainPartSequence if rostering is included. In this case you will need several almost identical trainParts - the only difference will be the id-attribute.

Furthermore I don't like the thought of multiply referring to the same trainPart when working with commercial and operational trains since you will not be able to distinguish which references to trainParts in the operational train are included in which commercial train.

I do realize that this leads to many identical trainPart-Elements; yet I find it necessary to transmit the needed information without extending the standard.

Best regards
Christoph Jobmann

Andreas Tanner wrote:

```
>
> Hallo RailML-group,
>
> is the <trainPart> element intended for "multiple use"? The example file
> TT_ICN.xml has
>
> <train id="o2109" name="ICN 2109" type="operational" trainNumber="2109"
> description="betrieblicher Zug 2109 mit 2 Kompositionen">
>   <trainPartSequence sequence="1" pathStatus="confirmed">
>     <trainPartRef position="1" ref="tp2109" />
>     <trainPartRef position="2" ref="tp2109" />
>
> Now if this is legal, there is a problem with the rostering. A
> <blockPart> can reference a <trainPart> - but which reference to it is
> meant if the <trainPart> is used more than once?
> What one really would need is a "<trainPartRefRef" and the
> <trainPartRef> children of the <trainPartSequence> would need there own
> ID...
>
> I think that we /should/ allow for multiple use of trainparts. If you
> have different views on the same train (eg, commercial and operational),
> you would build those views from the same trainPart elements.
>
> Regards
> --Andreas Tanner.
>
>
```

--
----- posted via PHP Headliner -----

Subject: Re: TrainpartRefs
Posted by [Susanne Wunsch railML](#) on Wed, 07 Sep 2011 13:55:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

christoph.jobmann@deutschebahn.com (Christoph Jobmann) writes:
> from my point of view trainPart elements can no longer be used more than
> once within the same trainPartSequence if rostering is included. In this
> case you will need several almost identical trainParts - the only

> difference will be the id-attribute.

I go with your statement. You can't deploy reservation info when using the same train part several times in a commercial train. All the other 'formationTT' elements could also differ for train parts running in the same train through the same 'ocpTT's.

> Furthermore I don't like the thought of multiply referring to the same
> trainPart when working with commercial and operational trains since you
> will not be able to distinguish which references to trainParts in the
> operational train are included in which commercial train.

That's a really good point. Thanks for mentioning.

> I do realize that this leads to many identical trainPart-Elements; yet I
> find it necessary to transmit the needed information without extending
> the standard.

railML should stay as redundancy-free as possible in the context of the current model.

If it would be appreciated, we could separate the "ocpsTT" element for referencing it from each train part. But I think that there are some cases where some deep attributes of ocpTT differ between the coupled train parts. Yes, it's a very seldom use case that should be covered, too.

railML 2.1 is even just released, so I'm not very happy in changing some core syntax. On the other hand, if that change would bring even more users to railML, it would be worth.

Let's go on with this topic in this thread. Maybe it's good for the next major release.

Any ideas, comments, questions appreciated...
Susanne

--

Susanne Wunsch
Schema Coordinator: railML.common

Subject: Re: TrainpartRefs
Posted by [Andreas Tanner](#) on Thu, 08 Sep 2011 15:04:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

I suggest that if two trainpartrefs refer to the same trainpart, it is to be understood that they point to the same physical entity. So if you

have two views on the set of trains within one file (as commercial and as operational trains), then they can "share" trainparts. But multiple use in the sense of "another copy of that trainpart" is not allowed, in particular not as different positions within one trainpart sequence.

About separation of ocpTT sequences: this resembles to what we do in IVU.plan anyway, but we go even further by defining "route pattern" that can be anchored per trip to a start / arrival / intermediate time.

--Andreas.

Am 07.09.2011 15:55, schrieb Susanne Wunsch:

> Hello,
>
> christoph.jobmann@deutschebahn.com (Christoph Jobmann) writes:
>> from my point of view trainPart elements can no longer be used more than
>> once within the same trainPartSequence if rostering is included. In this
>> case you will need several almost identical trainParts - the only
>> difference will be the id-attribute.
>
> I go with your statement. You can't deploy reservation info when using
> the same train part several times in a commercial train. All the other
> 'formationTT' elements could also differ for train parts running in the
> same train through the same 'ocpTT's.
>
>> Furthermore I don't like the thought of multiply referring to the same
>> trainPart when working with commercial and operational trains since you
>> will not be able to distinguish which references to trainParts in the
>> operational train are included in which commercial train.
>
> That's a really good point. Thanks for mentioning.
>
>> I do realize that this leads to many identical trainPart-Elements; yet I
>> find it necessary to transmit the needed information without extending
>> the standard.
>
> railML should stay as redundancy-free as possible in the context of the
> current model.
>
> If it would be appreciated, we could separate the "ocpsTT" element for
> referencing it from each train part. But I think that there are some
> cases where some deep attributes of ocpTT differ between the coupled
> train parts. Yes, it's a very seldom use case that should be covered,
> too.
>
> railML 2.1 is even just released, so I'm not very happy in changing
> some core syntax. On the other hand, if that change would bring even
> more users to railML, it would be worth.

>
> Let's go on with this topic in this thread. Maybe it's good for the
> next major release.
>
> Any ideas, comments, questions appreciated...
> Susanne
>

Subject: Re: TrainpartRefs
Posted by [Carsten Weber](#) on Fri, 09 Sep 2011 08:23:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear RailML-Users,

"Andreas Tanner" <ata@ivu.de> schrieb im Newsbeitrag
news:j3q8j2\$386\$1@sifa.ivi.fhg.de...

> Hallo RailML-group,
>
> is the <trainPart> element intended for "multiple use"? The example file
> TT_ICN.xml has
>
> <train id="o2109" name="ICN 2109" type="operational" trainNumber="2109"
> description="betrieblicher Zug 2109 mit 2 Kompositionen">
> <trainPartSequence sequence="1" pathStatus="confirmed">
> <trainPartRef position="1" ref="tp2109" />
> <trainPartRef position="2" ref="tp2109" />
>

For me it looks like a mistake in the example.

The example should look like this:

> <trainPartRef position="1" ref="tp2109a" />
> <trainPartRef position="2" ref="tp2109b" />

Maybe tp2109a includes the same vehicle(s!) as tp2109b but maybe not.
This way you can differ between the train parts in the rostering process.

If it is necessary there should be an extension inside of the train parts if
for example several coaches are combined in a train part and you want to
create a roster for every single coach. But up to now no one has been
interested in.

Best regards.

Carsten Weber

Subject: Re: TrainpartRefs

Posted by [Carsten Weber](#) on Fri, 09 Sep 2011 08:32:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Susanne Wunsch" <coord@common.railml.de> schrieb im Newsbeitrag
news:bb262l4ihin.fsf@remi.heep.sax.de...

> Hello,

>

> If it would be appreciated, we could separate the "ocpsTT" element for
> referencing it from each train part. But I think that there are some
> cases where some deep attributes of ocpTT differ between the coupled
> train parts. Yes, it's a very seldom use case that should be covered,
> too.

>

In my view maybe we can reduce the contents of ocpTT (I'm not sure) but we
can not remove it.

For example by running night trains there are train parts which are combined
in an operational train but you are not allowed to board or leave one of the
train parts at each stop. You might look at train D 61458 and CNL 458 at the
current timetable period. Both train parts run from Praha to Erfurt. But you
are not allowed to leave CNL 458 between Praha and Erfurt in opposition to D
61458.

So there will be (up to now) no other chance to bring this information into
RailML as to write some information about ocpTT to the train parts.

> railML 2.1 is even just released, so I'm not very happy in changing
> some core syntax. On the other hand, if that change would bring even
> more users to railML, it would be worth.

>

> Let's go on with this topic in this thread. Maybe it's good for the
> next major release.

Life means change. ;) But we should make sure that these changes are really
needed.

Best regards.

Carsten Weber

Subject: Re: TrainpartRefs

Posted by [Joachim Rubröder railML](#) on Mon, 03 Oct 2011 09:58:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,
you are totally right.

The multiple use of the same trainPart in different trainPartSequences

provides problems together with the use of rosterings or reseervations.

I therefore corrected the exaple to:

```
<trainPartRef position="1" ref="tp2109a" />
<trainPartRef position="2" ref="tp2109b" />
```

Best regards,
Joachim RubrÄ¶nder

Carsten Weber wrote:

```
>
> Dear RailML-Users,
>
> "Andreas Tanner" <ata@ivu.de> schrieb im Newsbeitrag
> news:j3q8j2$386$1@sifa.ivi.fhg.de...
>> Hallo RailML-group,
>>
>> is the <trainPart> element intended for "multiple use"? The example file
>> TT_ICN.xml has
>>
>> <train id="o2109" name="ICN 2109" type="operational" trainNumber="2109"
>> description="betrieblicher Zug 2109 mit 2 Kompositionen">
>>   <trainPartSequence sequence="1" pathStatus="confirmed">
>>     <trainPartRef position="1" ref="tp2109" />
>>     <trainPartRef position="2" ref="tp2109" />
>>
> For me it looks like a mistake in the example.
> The example should look like this:
>
>>   <trainPartRef position="1" ref="tp2109a" />
>>   <trainPartRef position="2" ref="tp2109b" />
>
> Maybe tp2190a includes the same vehicle(s!) as tp2109b but maybe not.
> This way you can differ between the train parts in the rostering process.
>
> If it is necessary there should be an extension inside of the train parts if
> for example several coaches are combined in a train part and you want to
> create a roster for every single coach. But up to now no one has been
> interested in.
>
> Best regards.
>
> Carsten Weber
>
>
>
```

--
----- posted via PHP Headliner -----

Subject: Re: TrainpartRefs

Posted by [Susanne Wunsch railML](#) on Tue, 06 Nov 2012 13:00:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Joachim, Carsten, Andreas and others,

Sorry for the late re-activating of this "quite closed thread".

coord@timetable.railml.org (Joachim Rubröder) writes:

- > you are totally right.
- >
- > The multiple use of the same trainPart in different trainPartSequences
- > provides problems together with the use of rosterings or resevatons.
- >
- > I therefore corrected the exaple to:
- > <trainPartRef position="1" ref="tp2109a" />
- > <trainPartRef position="2" ref="tp2109b" />

If found some more occurences in another example. :-(

"TT_Rostering.xml"

```
<trainPartRef position="1" ref="tp_651_RB_36301_4" />  
<trainPartRef position="2" ref="tp_651_RB_36301_4" />
```

```
<trainPartRef position="1" ref="tp_651_RB_36301_5a" />  
<trainPartRef position="2" ref="tp_651_RB_36301_5a" />
```

The possible double reference of one trainPart in either a "commercial" train and/or a "operational" train for enabling both views should be documented at the wiki-Dokumentation-Page. [1]

Kind regards...
Susanne

[1] <http://www.wiki.railml.org/index.php?title=TT:trainPartRef>

--
Susanne Wunsch
Schema Coordinator: railML.common
