
Subject: Fahrgastzahlen in railML

Posted by [Christoph Jobmann](#) on Thu, 07 Feb 2013 12:44:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---- German version, for English version see below

Hallo zusammen,

ich wurde kuerzlich von einem Kollegen angesprochen, ob die Moeglichkeit besteht, per railML Fahrgastzahlen zu uebermitteln. Spontan konnte ich hierzu nichts sagen, und auch nach einigen Blicken in Wiki, html-Doku und Forum habe ich hierzu keine passende Antwort gefunden.

Konkret ist hier die Frage, wie viele Fahrgaeste auf dem Abschnitt zwischen zwei Halten in einem Zug mitfahren - unter Umstaenden noch aufgeschluesselt nach 1. und 2. Wagenklasse.

Ist dies mit railML ohne zusaetzliche Elemente und / oder Attribute moeglich?

Falls nein: Am liebsten wuerde ich hierfuer das Element sectionTT ergaenzen. Da hier jedoch keine Erweiterungen vorgesehen sind, waere der ocpTT mein naechster Kandidat fuer ein neues Element, welches die Anzahl Fahrgaeste ab diesem Halt (unter Umstaenden noch mit Moeglichkeit, Einsteiger und Aussteiger explizit anzugeben, wobei dies nicht unbedingt gebraucht wuerde).

Wie seht ihr / sehen Sie das? Ist dies in railML darstellbar? Sieht noch jemand Bedarf, diese Information zu uebermitteln?

Viele Gruesse
Christoph Jobmann

---- English version

Hello everyone,

recently a colleague asked me if there was a way to transmit passenger numbers for trains via railML. At first I was unable to answer this question and even after a few glances at the Wiki, the html-documentation and this forum I have not found an answer yet.

The actual question is: How many passengers travel along a section between two consecutive stops on a specific train - maybe broken down into 1st and 2nd class travellers?

Is there a way to transmit this kind of information with railML without use of additional elements and / or attributes?

If not: I would like it best to put this information in the element sectionTT. However this one is not marked for extensions. This draws my attention to the element ocpTT as next candidate for a new element describing the number of passengers travelling from this ocp to the consecutive one. Additional information regarding boarding / deboarding passengers might be added, however we probably would not use it.

What do you think? Is it possible to give this kind of information with railML? Is anyone else interested in transmitting actual passenger numbers?

Kind regards
Christoph Jobmann

--

----- posted via PHP Headliner -----

Subject: Re: Fahrgastzahlen in railML
Posted by [Joachim Rubröder railML](#) on Fri, 08 Feb 2013 10:45:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Christoph,

- > The actual question is: How many passengers travel along a section between
- > two consecutive stops on a specific train - maybe broken down into 1st and
- > 2nd class travellers?
- > Is there a way to transmit this kind of information with railML without
- > use of additional elements and / or attributes?

There is the seat capacity within the element formationTT/passengerUsage/places.

But the question of the number of really used places has to be discussed together with the greater issue of how to deal with a real driven timetable within railML. This includes delays and actual run times.

Filed a Trac ticket for this issue:
<https://trac.assembla.com/railML/ticket/220>

Kind regards,
Joachim

Joachim Rubröder
Schema Coordinator: railML.timetable

--

----- posted via PHP Headliner -----

Subject: Re: Fahrgastzahlen in railML

Posted by [Susanne Wunsch railML](#) on Fri, 08 Feb 2013 13:09:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Joachim and Christoph,

coord@timetable.railml.org (Joachim Rubroeder) writes:

>> The actual question is: How many passengers travel along a section
>> between two consecutive stops on a specific train - maybe broken down
>> into 1st and 2nd class travellers? Is there a way to transmit this
>> kind of information with railML without use of additional elements
>> and / or attributes?

> But the question of the number of really used places has to be discussed
> together with the greater issue of how to deal with a real driven
> timetable within railML. This includes delays and actual run times.

+1

see also <http://trac.assembla.com/railML/ticket/188>

> Filed a Trac ticket for this issue:
> <https://trac.assembla.com/railML/ticket/220>

Thanks for following the proposed workflow. ;-)

As a quick fix, I would suggest any-attributes and any-elements in the "statistics" element. But so far there are only ocp-related statistic values, no section-related ones.

Maybe some additional any-attributes and any-elements in the "sectionTT" element would help further.

Both enhancements may help other users with their currently unspoken needs, too.

A better solution for 2.x is conceivable. Let's discuss this issue further in this thread for preparing a good implementation proposal.

Kind regards...
Susanne

--
Susanne Wunsch
Schema Coordinator: railML.common

Subject: Re: Fahrgastzahlen in railML

Posted by _____ on Tue, 12 Mar 2013 17:39:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear all

and @dear Christoph: Which kind of "Fahrgastzahlen" do you mean? Actually counted numbers of passengers of the past? Or expected numbers of passengers in the meaning of "minimum seating places to be available"?

I also think (like Joachim) that "Fahrgastzahlen" of the first type (actually counted) are a matter of the greater topic "actual data" (in contrary to "pre-planned timetable data"). It is strongly connected with the question "At which day these passenger numbers have been counted", which leads us back to the already discussed topic "actual operating days". We agreed to handle this outside the scope of the current <timetable> scheme.

Concerning numbers of passengers in the second meaning (expected), they are clearly a matter of <timetable> in the pre-planned meaning so I could imagine some elements and attributes for them in the current scheme. But I would name them "minimum necessary places" or so - not "passenger numbers" to clarify the difference.

It would fit to the typical "Musterfahrplan" (pattern timetable) of advertisements / competitions where normally all trains have minimum places to be provided by the competitor. Often they are distinguished by operating days (Mon-Fri, Sat, Sun). So either we allow a kind of operatingPeriodRef with this information or we expect to place different trains/trainParts for each operatingPeriodRef. The latter would be ok from my side.

Best regards,
Dirk.

Subject: Re: Fahrgastzahlen in railML
Posted by [Christoph.Jobmann](#) on Thu, 14 Mar 2013 11:06:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear all,

Dirk Br  uer wrote:

>
> Dear all
>
> and @dear Christoph: Which kind of "Fahrgastzahlen" do you mean? Actually
> counted numbers of passengers of the past? Or expected numbers of
> passengers in the meaning of "minimum seating places to be available"?

- > [...]
- > Concerning numbers of passengers in the second meaning (expected), they
- > are clearly a matter of <timetable> in the pre-planned meaning so I could
- > imagine some elements and attributes for them in the current scheme. But I
- > would name them "minimum necessary places" or so - not "passenger numbers"
- > to clarify the difference.
- >

Personally I am not involved directly in this topic but the colleague that approached me was thinking about expected passenger numbers. It might be used as a measure to point out the required capacity as Dirk pointed out, but also to give a measure for the expected revenues from ticket sales - which would be an argument against using the term "minimum necessary places" (even though I do realize that passengers without a seat are less happy in general).

However I do not see such a big difference between actually using a given passenger number as an "expected number" versus a "counted number": It might even be distinguished via an appropriate scope attribute ("expected", "actual", "average", "requested", etc. or similar).

- > It would fit to the typical "Musterfahrplan" (pattern timetable) of
- > advertisements / competitions where normally all trains have minimum
- > places to be provided by the competitor. Often they are distinguished by
- > operating days (Mon-Fri, Sat, Sun). So either we allow a kind of
- > operatingPeriodRef with this information or we expect to place different
- > trains/trainParts for each operatingPeriodRef. The latter would be ok from
- > my side.

I would prefer to see several occurrences with distinct operatingPeriodRef within one trainPart but it would also be okay to repeat the trainPart themselves.

Best regards
Christoph

--

-----== posted via PHP Headliner ==-----
