
Subject: [railML2] extend <formation> with the attribute @load

Posted by [Torben Brand](#) on Tue, 27 Oct 2020 20:41:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear railML-community,

In the Norwegian railway sector we would like to use predefined formations for usage in the timetable. For this purpose we would also like to use formations with real referenced vehicle, but with virtual wagons and payload. This is possible today in railML2.4, but is cumbersome as you can only define the complete formations weight with payload with usage of formation@bruttoWeight. We would like to be able to define only the towed weight of the wagons and payload, excluding the locomotive. This in the same manner as possible in formationTT@load.

If this attribute is of interest for more users, we would welcome a discussion for a possible integration of a new attribute formation@load in railML2.5. Any feedback is highly appreciated.

If both formation@load and formationTT@load are defined, formationTT@load takes precedence.

PS. We also recommend making the definitions of weight, load and timetableLoad under formationTT in the wiki more precise. What is meant with "real"? We also recommend making the definitions of bruttoWeight, nettoWeight and tareWeight under formation in the wiki more precise. What is meant with "of that formation"?

I have attached an illustration to try to illustrate the definitions and the suggested new attribute.

Kind regards

Torben Brand
Jernbanedirektoratet

File Attachments

1) [formationWeight.pdf](#), downloaded 304 times

Subject: Re: [railML2] extend <formation> with the attribute @load

Posted by [Joerg von Lingen](#) on Mon, 02 Nov 2020 04:55:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Torben,

that's a good idea. The weight attributes for a formation were simply "copied" from vehicle. However, the needs for weight values of a formation are different.

[railML3]: I will consider this for the new development.

--

Regards,
Jörg von Lingen - Rollingstock Coordinator

Torben Brand wrote on 27.10.2020 21:41

Dear railML-community,

In the Norwegian railway sector we would like to use predefined formations for usage in the timetable. For this purpose we would also like to use formations with real referenced vehicle, but with virtual wagons and payload. This is possible today in railML2.4, but is cumbersome as you can only define the complete formations weight with payload with usage of `formation@bruttoWeight`. We would like to be able to define only the towed weight of the wagons and payload, excluding the locomotive. This in the same manner as possible in `formationTT@load`.

If this attribute is of interest for more users, we would welcome a discussion for a possible integration of a new attribute `formation@load` in railML2.5. Any feedback is highly appreciated.

If both `formation@load` and `formationTT@load` are defined, `formationTT@load` takes precedence.

PS. We also recommend making the definitions of weight, load and timetableLoad under `formationTT` in the wiki more precise. What is meant with "real"? We also recommend making the definitions of `bruttoWeight`, `nettoWeight` and `tareWeight` under `formation` in the wiki more precise. What is meant with "of that formation"?

I have attached an illustration to try to illustrate the definitions and the suggested new attribute.

Kind regards

Torben Brand
Jernbanedirektoratet

Attachment: `formationWeight.pdf`

Subject: Re: [railML2] extend `<formation>` with the attribute `@load`

Posted by [Torben Brand](#) on Wed, 11 Nov 2020 09:25:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Jörg,

We thank you for your quick reply and for considering the suggested attribute in railML3. However the Norwegian sector would need the attribute already in railML2.5, else we have to make a national extension.

Subject: Re: [railML2] extend <formation> with the attribute @load
Posted by [Joerg von Lingen](#) on Thu, 12 Nov 2020 04:57:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

Sorry for expressing it mistakingly. So here my statement more clearly:

I have submitted the attribute for <formation> into the 2.5 development branch.

```
<xs:attribute name="load" type="rail:tWeightTons">  
  <xs:annotation>  
    <xs:documentation>weight without engine</xs:documentation>  
  </xs:annotation>  
</xs:attribute>
```

In addition I will consider it for railML3 development.

--

Regards,
Jörg von Lingen - Rollingstock Coordinator

Torben Brand wrote on 11.11.2020 10:25:

> Dear Jörg,
>
> We thank you for your quick reply and for considering the
> suggested attribute in railML3.
> However the Norwegian sector would need the attribute
> already in railML2.5, else we have to make a national
> extension.
>

Subject: Re: [railML2] extend <formation> with the attribute @load
Posted by [Joerg von Lingen](#) on Sun, 22 Nov 2020 11:37:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear all,

the @load attribute is a good example to stress again - in rollingstock always the physical possible values are defined, in timetable the actual use or planned use is defined. In the attached picture the first line shows the partially loaded wagons - this is TT. The lower line shows the completely loaded wagons - this is RS.

Best regards,
Joerg v. Lingen - Rollingstock Coordinator

Am 27.10.2020 um 21:41 schrieb Torben Brand:

> Dear railML-community,
>
> In the Norwegian railway sector we would like to use

> predefined formations for usage in the timetable. For this
> purpose we would also like to use formations with real
> referenced vehicle, but with virtual wagons and payload.
> This is possible today in railML2.4, but is cumbersome as
> you can only define the complete formations weight with
> payload with usage of formation@bruttoWeight. We would like
> to be able to define only the towed weight of the wagons and
> payload, excluding the locomotive. This in the same manner
> as possible in formationTT@load.
>

File Attachments

1) [load.jpg](#), downloaded 275 times
