

---

Subject: [railML3] LevelCrossing Best Practice Example  
Posted by [Heidrun Jost](#) on Mon, 04 Apr 2022 16:25:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear all,

Thales wanted to give another example for the modeling of a level crossing. We discussed Georg's example, which used the infrastructure.

Here is an example with the infrastructure in combination with the interlocking layer. While the infrastructure layer maps the objects on a graph (netElements) and there are few possibilities to create associations between different infrastructure objects, interlocking layer often offers this possibility. The linking of the elements follows here the business logic. This is the reason that a level crossing (IL) is connected to tracks (IL) and these tracks (IS) are then mapped onto "netElements".

Example for a level crossing over two track in the railML3 file:

```
<!--infrastructure layer -->
```

```
<infrastructure>
```

```
...
<levelCrossingIS id="uvAn5AZZsL7flbwHdRjDkca">
  <name name="GRM LX_3GRM" language="en"/>
  <designator register="costId" entry="LevelCrossing:BGS_GRM_LX_3"/>
  <designator register="sci_cc" entry="NO_A29_GRMLCSLX_3___"/>
</levelCrossingIS>
...
<track id="GBQBJs3oZDo85PZD8zIOI9g8" type="other:levelCrossingTrack">
  <name name="GRM LX_3_1GRM" language="en"/>
  <linearLocation id="LL_GBQBJs3oZDo85PZD8zIOI9g8">
    <associatedNetElement
netElementRef="ZHiQjsi8DUialCTNQdA3yWb" intrinsicCoordBegin="0.625003"
intrinsicCoordEnd="0.832348" keepsOrientation="true"/>
  </linearLocation>
  <designator register="sci_cc" entry="NO_A29_GRMLCTLX_3_1_"/>
  <designator register="costId"
entry="TrackSection:LCT_BGS_GRM_LX_3_1"/>
</track>
...
<track id="Le4nO6kfrraNS2HpJnZHk1b" type=" other:levelCrossingTrack ">
  <name name="GRM LX_3_2GRM" language="en"/>
  <linearLocation id="LL_Le4nO6kfrraNS2HpJnZHk1b">
    <associatedNetElement
netElementRef="xs4TeJZDctCaMRt47ZZVpYJ8" intrinsicCoordBegin="0.518872"
intrinsicCoordEnd="0.642698" keepsOrientation="true"/>
  </linearLocation>
  <designator register="sci_cc" entry="NO_A29_GRMLCTLX_3_2_"/>
```

```

    <designator register="costId"
entry="TrackSection:LCT_BGS_GRM_LX_3_2"/>
  </track>
  ...
</infrastructure>

<!--Interlocking layer - ->
<interlocking>
  ....
  <trackIL id="IL_GBQBJs3oZDo85PZD8zIOI9g8" >
    <designator register="station" entry="GRM"/>
    <belongsToOperationalPoint ref="iv4E2FZDsZDyaVN89pt39wx9"/>
    <hasCommand ref="Z4mQSBWmchOeaRCiy06j7ba"/>
    ...
    <refersTo ref="GBQBJs3oZDo85PZD8zIOI9g8"/>
    <hasTvdSection ref="TVD_OoA0orA5Rj3qNI03sc3oZZa"/>
  </trackIL>
  ...
  <trackIL id="IL_Le4nO6kfrraNS2HpJnZHk1b">
    <designator register="station" entry="GRM"/>
    <belongsToOperationalPoint ref="iv4E2FZDsZDyaVN89pt39wx9"/>
    <hasCommand ref="Z4mQSBWmchOeaRCiy06j7ba"/>
    ...
    <refersTo ref="Le4nO6kfrraNS2HpJnZHk1b"/>
    <hasTvdSection ref="TVD_VSQ5ZDtBJ9D7sokZDJzh1Ee8"/>
  </trackIL>
  ...
  <levelCrossingIL id="IL_uvAn5AZZsL7flbwHdRjDkca"
typicalTimeToClose="PT0S">
    <designator register="station" entry="GRM"/>
    <hasCommand ref="Z8PQrISVKRb5MGOYTiZDFRfb"/>
    ...
    <isLevelCrossingType ref="lcr_type5"/>
    <refersTo ref="uvAn5AZZsL7flbwHdRjDkca"/>
    <hasLevelCrossingTrack ref="IL_GBQBJs3oZDo85PZD8zIOI9g8"/>
    <hasLevelCrossingTrack ref="IL_Le4nO6kfrraNS2HpJnZHk1b"/>
  </levelCrossingIL>
  ...
  <specificInfrastructureManager ref="infrastructure_01">
    <usesTypes>
      ...
      <hasLevelCrossingType id="lcr_type5"
controlType="fullControlled" hasBarrier="true" hasTrafficWarning="true"/>
    </specificInfrastructureManager>
  ...
</interlocking>

```

For this solution we have a wish: If a track only exists (gets an extra

name) because it belongs to a level crossing, you should be able to recognize this via the 'type' attribute at <track>. We would want to use the value 'levelCrossingTrack' for that attribute or have the possibility to use our own extensions with "other:levelCrossingTrack".

Would it be possible to add an "other" extension in railML 3.2 to the attribute "type" of the track in order to be able to define your own types?

Best regards,

--

Heidrun Jost  
Data Manager TMS Norway  
Transportation Systems  
Thales Deutschland GmbH

Phone: +49 (0) 30 688306 423  
Schützenstr. 25 10117 Berlin Germany

---

Subject: Re: [railML3] LevelCrossing Best Practice Example  
Posted by [christian.rahmig](#) on Thu, 07 Apr 2022 12:57:42 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Heidrun,

the topic you raised is not that simple as it seems in the beginning.

The biggest issue I see in the incomplete modelling approach from infrastructure perspective: In the example you provided the exact location of the level crossing remains unclear when only looking at infrastructure domain. The connection between the infrastructure element "levelCrossingIS" and the topologic railway network is provided only with the interlocking element "levelCrossingIL". This "detour" is not good thinking of use cases that include only infrastructure and disregard interlocking.

Therefore, I strongly recommend to use one (or more) linear location(s) to link the <levelCrossingIS> with the underlying topology built by NetElements.

Regarding the new track type "levelCrossingTrack" you were proposing: Having linked the <levelCrossingIS> with the <netElement> instances covered, there is no need to tag a track as being a "level crossing track", because the information is implicitly given in the linking. As written in the wiki documentation [1] the attribute <track>@type is used to describe the general functionality of the track. The existing values "mainTrack", "secondaryTrack", "sidingTrack" and "connectingTrack" are complementary, whereas a "level crossing track" is basically a combination of one of the mentioned track types with a level crossing. Therefore, I don't like to integrate "level crossing track" into the <track>@type enumeration.

So, what does the community think about this topic?

[1] <https://wiki3.railml.org/wiki/IS:track>

Best regards  
Christian

---

---

Subject: Re: [railML3] LevelCrossing Best Practice Example  
Posted by [Torben Brand](#) on Fri, 22 Apr 2022 18:43:06 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I agree with Christian in this matter.

--  
TOBR

---

---

Subject: Re: [railML3] LevelCrossing Best Practice Example  
Posted by [christian.rahmig](#) on Mon, 13 Feb 2023 08:31:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear all,

based on the feedback provided by the community, I anticipate that the level crossing issue you raised is rather Thales-specific. Following the arguments of my forum post I conclude that level crossings shall not be modelled with "level crossing tracks" extension, but that the existing schema is sufficient for a detailed level crossing model solution.

Best regards  
Christian

---